

Prüfbericht - Nr.: <i>Test Report No.:</i>		IND/BLR/Ch/2016/3499 Part-A		Seite 1 von 2 <i>Page 1 of 2</i>	
Auftraggeber: <i>Client:</i>		Omitted for Privacy Reasons			
Gegenstand der Prüfung: <i>Test item:</i>		Omitted for Privacy Reasons			
Bezeichnung: <i>Identification:</i>		Serien-Nr.: <i>Serial No./ Document Submitted:</i>		Letter Dated: 18.06.2016	
		-			
Wareneingangs-Nr.: <i>Receipt No.:</i>		21062016		Eingangsdatum: <i>Date of receipt:</i> 21.06.2016	
Order No.:		1803149193		Testing Period: 22.06.2016 to 27.06.2016	
Prüfört: <i>Testing location:</i>		TÜV Rheinland India Pvt Ltd, Plot No.17B, Electronic City Phase II Industrial Area, Hosur Road, Bangaluru - 560 100, Karnataka, India			
Prüfgrundlage: <i>Test specification:</i>		Testing for Microbiological parameters			
Prüfergebnis: <i>Test Result:</i>		Refer to the following page (s). 2 to 2			
Prüflaboratorium/ Testing Laboratory:					
zusammengestellt/ compiled by:			kontrolliert/ checked by:		
<div style="text-align: center;"> 28.06.2016 Vijetha Customer Executive Industry Services </div>			<div style="text-align: center;"> 28.06.2016 Kumudini M Microbiologist Industry Services </div>		
Datum <i>Date</i>	Name <i>Name</i>	Unterschrift <i>Signature</i>	Datum <i>Date</i>	Name <i>Name</i>	Unterschrift <i>Signature</i>
Sonstiges/ Other Aspects: This Report Contain Part B					
Abkürzungen: ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar			Abbreviations: ok / P = passed fail / F = failed n.a. / N = not applicable		
<p>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</p> <p><i>This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i></p>					

Prüfbericht - Nr.: IND/BLR/Ch/2016/3499 Part-A
Test Report No.:**Seite 2 von 2**
Page 2 of 2**TEST REPORTS**

Sample Description	Palm Leaf Product
Sampling : 1. Submitted Sample collected by the laboratory : No	

MICROBIOLOGICAL PARAMETERS:

Sl No.	Parameters	Unit	Results	Test Method
1	Total Coliform Count	Cfu/g	<10	IS 5401 (Part 1): 2012
2	Total Yeast & Mold Count	Cfu/g	30	IS 5403: 1999, Reaffirmed 2005

Note:

Cfu/g denotes Cfu - Colony Forming Unit

-----End of Test Report-----